Index

IEE Proceedings-C
Generation, Transmission and Distribution
Vol. 138, 1991

ABBREVIATIONS

p paper, address or lecture
d discussion on a paper
a abstract of paper or address
e errata

Author index

A

Abbas, N.A.M., and Stoll, R.L. see Stoll, R.L.
Al-Sammak, A.I.J., and Rahim, A.H.M.A. see Rahim, A.H.M.A.
Aldeen, M., and Marsh, J.F. Decentralised proportional-plus-integral design method for interconnected power systems p263
Allan, R.N., and Roman, J. Reliability assessment of hydrothermal generation systems containing pumped storage plant p471
Alolah, A.I. Capacitance requirements for three phase self-excited reluctance generators p193
Alves de Silva, A.P., Quintana, V.H., and Pang, G.K.H. Solving data acquisition and processing problems in power systems using a pattern analysis approach p365
Arrillaga, J., and Villablanca, M. 24-pulse HVDC conversion p57
Ayoub, A.K., Masrur, M.A., and Tielking, J.T. see Masrur, M.A.

B

Balasubramanian, R., Mohan, P., and Rao, K.S.P. New Fourier methods for generation system production costing p384
Balasubramanian, R., Tripathy, S.C., and Chandramohanan Nair, P.S. see Tripathy, S.C.
Bapi Raju, V., Nanda, J., Bijwe, P.R., Kothari, M.L., and Joma, Bashir M. see Nanda, J.
Bastick, M.T., Choi, S.S., Larkin, R., and Ferres, A.W. see Choi, S.S.
Basu, S.K., and Goswami, S.K. see Goswami, S.K.
Beattie, W.C., and Dodds, G.I. see Dodds, G.I.
Berg, G.J., and Sharaf, T.A.M. see Sharaf, T.A.M.
Bijwe, P.R., Nanda, J., Bapi Raju, V., Kothari, M.L., and Joma, Bashir M. see Nanda, J.
Bijwe, P.R., Nanda, J., and Puttabuddhi, K.L. Ranking of line outages in an AC–DC system causing overload and voltage problems p207
Billinton, R., and Wenyuan, L. Hybrid approach for reliability evaluation of composite generation and transmission systems using Monte–Carlo simulation and enumeration technique p233
Blatt, D.W.E. New method for monitoring and protection of high voltage switchyards p228
Bodger, P.S., and Cameron, G.R. see Cameron, G.R.
Boffey, T.B., Marshall, A.C., Green, J.R., and Hague, H. see Marshall, A.C.
Bordoloi, P.K., and Hazarika, D. see Hazarika, D.
Bottauscio, O., Crotti, G., Farina, G., and Vecchiotti, E. Analysis of distribution transformers under fault conditions for determination of transient recovery voltage p253
Brameller, A., and Shahnawaz Ahmed, S. see Shahnawaz Ahmed, S.

C

Cameron, G.R., and Bodger, P.S. New measures for assessing the inductive influence of multiconductor transmission lines p358
Carter, C.E., and Choi, S.S. see Choi, S.S.
Chandramohanan Nair, P.S., Tripathy, S.C., and Balasubramanian, R. see Tripathy, S.C.
Chang, C.S. Application of pattern recognition techniques for online security-economy and reactive control of power systems p1
Chen, M.-T., Chu, H.-Y., Huang, C.-L., and Fei, L.-W. Power-component definitions and measurements for a harmonic-polluted power circuit p299
Choi, S.S., Larkin, R., Bastick, M.T., and Ferres, A.W. Effects of underexcitation limiters on operation of remote generating station p560
Choi, S.S., and Carter, C.E. Transposition study and field measurements of long radial static-reactive power compensated transmission system p337
Chu, H.-Y., Chen, M.-T., Huang, C.-L., and Fei, L.-W. see Chen, M.-T.
Connolly, M.E., Rice, R.E., Grady, W.M., Lesso, W.G., and Noyola, A.H. see Rice, R.E.
Crotti, G., Bottauscio, O., Farina, G., and Vecchiotti, E. see Bottauscio, O.
Cunha, S.H.F., Leite da Silva, A.M., and Melo, A.C.G. see Leite da Silva, A.M.

D

Daruvala, D.J., Johns, A.T., Lai, L.L., and El-Hami, M. see Johns, A.T.
De araújo, C.S., and de Castro, J.C. Application of power system stabilisers in a plant with identical units p11
De castro, J.C., and de Araújo, C.S. see De araújo, C.S.
de la Salle, S., Leithead, W.E., and Reardon, D. see Leithead, W.E.
Deeb, N.I., and Shahidehpour, S.M. Decomposition approach for minimising real power losses in power systems p27
Dickinson, E.J., Kamwa, I., and Viarouge, P. see Kamwa, I.
Doan, K., and Wong, K.P. see Wong, K.P.
Dodds, G.I., and Beattie, W.C. Effects of abnormal operating conditions on electrical utility planning p113
Dong, Y., and Pota, H.R. Fast transient stability assessment using large step-size numerical integration p377

E

Eichhorn, K.-Fr., and Łobos, T. Recursive real-time calculation of basic waveforms of signals p469
El-Hami, M., Johns, A.T., Lai, L.L., and Daruvala, D.J. see Johns, A.T.
El-Marsafawy, M. Application of series-capacitor and shunt-reactor compensation to an existing practical AC transmission line p330

F

Farina, G., Bottauscio, O., Crotti, G., and Vecchiotti, E. see Bottauscio, O.
Fei, L.-W., Chen, M.-T., Chu, H.-Y., and Huang, C.-L. see Chen, M.-T.
Ferres, A.W., Choi, S.S., Larkin, R., and Bastick, M.T. see Choi, S.S.
Fox, B., and Radi, K.M. see Radi, K.M.

G

Gavric', M. Method of equal probability overvoltages for calculating risk of failure of power transmission lines p19
Gole, A.M., and Sood, V.K. see Sood, V.K.
Goswami, S.K., and Basu, S.K. Direct solution of distribution systems p78
Grady, W.M., Rice, R.E., Lesso, W.G., Noyola, A.H., and Connolly, M.E. see Rice, R.E.
Grady, W.M., and Preston, E.G. see Preston, E.G.
Green, J.R., Marshall, A.C., Boffey, T.B., and Hague, H. see Marshall, A.C.
Grubb, M.J. Value of variable sources on power systems p149

H

Habiballah, I.O., and Quintana, V.H. Fast-decoupled rectangular co-ordinate state estimation with efficient data structure management p462
Hague, H., Marshall, A.C., Boffey, T.B., and Green, J.R. see Marshall, A.C.
Hamdan, Abdul-Razak, Salam, Md-Sayeed, and Nor, Khalid Mohamed see Salam, Md-Sayeed
Haque, M.H. Identification of coherent generators for power system dynamic equivalents using unstable equilibrium point p546
Hari, L., Kothari, M.L., and Nanda, J. Optimum selection of speed regulation parameters for automatic generation control in discrete mode considering generation rate constraints p401
Hawley, R. 33rd Hunter Memorial Lecture: The challenge to UK power engineers (Lecture) p173
Hazarika, D., and Bordoloi, P.K. Modified loss coefficients in the determination of optimum generation scheduling p166
Hsu, Y.-Y., and Yang, C.-C. Design of artificial neural networks for short-term load forecasting. Part I: Self-organising feature maps for day type identification p407
Hsu, Y.-Y., and Yang, C.-C. Design of artificial neural networks for short-term load forecasting. Part II: Multilayer feedforward networks for peak load and valley load forecasting p414
Huang, C.-L., Chen, M.-T., Chu, H.-Y., and Fei, L.-W. see Chen, M.-T.
Hubbi, W. Effects of neglecting resistances in *XB* and *BX* load-flow methods p452
Hung, W.W. Dynamic simulation of gas-turbine generating unit p342

I

Irving, M.R., Smith, M.M., Powell, R.S., and Sterling, M.J.H. see Smith, M.M.

J

Jandrell, I.R., and Reynders, J.P. Consideration of skin effect in high-voltage coaxial systems under transient and steady-state conditions, and its impact on steep travelling waves p445
Jasmon, G.B., and Lee, L.H.C.C. Stability of load-flow techniques for distribution system voltage stability analysis p479
Johns, A.T., Lai, L.L., El-Hami, M., and Daruvala, D.J. New approach to directional fault location for overhead power distribution feeders p351
Joma, Bashir M., Nanda, J., Bapi Raju, V., Bijwe, P.R., and Kothari, M.L. see Nanda, J.

K

Kamwa, I., Viarouge, P., and Dickinson, E.J. Identification of generalised models of synchronous machines from time-domain tests p485
Kersten, W.F.J., and van den Heuvel, W.M.C Worst case studies of short-circuit making-currents p129
Kothari, M.L., Hari, L., and Nanda, J. see Hari, L.
Kothari, M.L., Nanda, J., Bapi Raju, V., Bijwe, P.R., and Joma, Bashir M. see Nanda, J.

L

Lai, L.L., Johns, A.T., El-Hami, M., and Daruvala, D.J. see Johns, A.T.
Larkin, R., Choi, S.S., Bastick, M.T., and Ferres, A.W. see Choi, S.S.
Lee, L.H.C.C., and Jasmon, G.B. see Jasmon, G.B.
Lee, Y.-S., and Wu, C.-J. see Wu, C.-J.
Lee, Y.-S., and Wu, C.-J. Application of superconducting magnetic energy storage unit on damping of turbogenerator subsynchronous oscillation p419
Leite da Silva, A.M., Melo, A.C.G., and Cunha, S.H.F. Frequency and duration method for reliability evaluation of large-scale hydrothermal generating systems p94
Leithead, W.E., de la Salle, S., and Reardon, D. Role and objectives of control for wind turbines p135
Lesso, W.G., Rice, R.E., Grady, W.M., Noyola, A.H., and Connolly, M.E. see Rice, R.E.
Łobos, T., and Eichhorn, K.-Fr. see Eichhorn, K.-Fr.

M

Marsh, J.F., and Aldeen, M. see Aldeen, M.
Marshall, A.C., Boffey, T.B., Green, J.R., and Hague, H. Optimal design of electricity distribution networks p69
Marti, J.R., and Soudack, A.C. Ferroresonance in power systems: Fundamental solutions p321
Masrur, M.A., Ayoub, A.K., and Tielking, J.T. Studies on asynchronous operation of synchronous machines and related shaft torsional stresses p47

Melo, A.C.G., Leite da Silva, A.M., and Cunha, S.H.F. see Leite da Silva, A.M.
Mohamed, A. Performance comparisons of AC load-flow techniques for real time applications p457
Mohamed-Nor, K., and Rashid, A.H.A. Efficient economic dispatch algorithm for thermal unit commitment p213
Mohan, P., Balasubramanian, R., and Rao, K.S.P. see Balasubramanian, R.
Müller, N., and Quintana, V.H. see Quintana, V.H.

N

Nanda, J., Bapi Raju, V., Bijwe, P.R., Kothari, M.L., and Joma, Bashir M. New findings of convergence properties of fast decoupled load flow algorithms p218
Nanda, J., Bijwe, P.R., and Puttabuddhi, K.L. see Bijwe, P.R.
Nanda, J., Hari, L., and Kothari, M.L. see Hari, L.
Nor, Khalid Mohamed, Salam, Md-Sayeed, and Hamdan, Abdul-Razak see Salam, Md-Sayeed
Noyola, A.H., Rice, R.E., Grady, W.M., Lesso, W.G., and Connolly, M.E. see Rice, R.E.
Nwankpa, C.O., and Shahidehpour, S.M. Stochastic model for power system planning studies p307

O

Ouyang, Z., and Shahidehpour, S.M. Heuristic multi-area unit commitment with economic dispatch p242

P

Pang, G.K.H., Alves de Silva, A.P., and Quintana, V.H. see Alves de Silva, A.P.
Ponsioen, Y.P.J.M. Simple approach to calculation of power system transients using the Z-transform p297
Popović, Lj.M. Analytical expressions for evaluating screening effect of transmission line earth wire p289
Pota, H.R., and Dong, Y. see Dong, Y.
Powell, R.S., Smith, M.M., Irving, M.R., and Sterling, M.J.H. see Smith, M.M.
Preston, E.G., and Grady, W.M. Efficient method for calculating power system production cost and reliability p221
Puttabuddhi, K.L., Bijwe, P.R., and Nanda, J. see Bijwe, P.R.

Q

Quintana, V.H., Alves de Silva, A.P., and Pang, G.K.H. see Alves de Silva, A.P.
Quintana, V.H., and Habiballah, I.O. see Habiballah, I.O.
Quintana, V.H., and Müller, N. Partitioning of power networks and applications to security control p535

R

Radi, K.M., and Fox, B. Power system economic loading with flexible emergency reserve provision p257
Rahim, A.H.M.A., and Al-Sammak, A.I.J. Optimal switching of dynamic braking resistor, reactor or capacitor for transient stability of power systems p89
Rao, K.S.P., Balasubramanian, R., and Mohan, P. see Balasubramanian, R.
Rashid, A.H.A., and Mohamed-Nor, K. see Mohamed-Nor, K.
Ray, S. Analysis of transient behaviour of power system circuits containing iron cored coils p275
Reardon, D., Leithead, W.E., and de la Salle, S. see Leithead, W.E.
Reynders, J.P., and Jandrell, I.R. see Jandrell, I.R.
Rice, R.E., Grady, W.M., Lesso, W.G., Noyola, A.H., and Connolly, M.E. Power generation scheduling through use of generalised network flow programming p39
Roman, J., and Allan, R.N. see Allan, R.N.

S

Salam, Md-Sayeed, Hamdan, Abdul-Razak, and Nor, Khalid Mohamed Integrating an expert system into a thermal unit-commitment algorithm p553
Shaaban, H. New decomposition-aggregation approach applied to power system with speed governor p434
Shahidehpour, S.M., and Deeb, N.I. see Deeb, N.I.
Shahidehpour, S.M., and Nwankpa, C.O. see Nwankpa, C.O.
Shahidehpour, S.M., and Ouyang, Z. see Ouyang, Z.
Shahnawaz Ahmed, S., and Brameller, A. New algorithm for diakoptical static state estimation p185
Sharaf, T.A.M., and Berg, G.J. Probabilistic voltage stability indexes p499
Smith, M.M., Powell, R.S., Irving, M.R., and Sterling, M.J.H. Robust algorithm for state estimation in electrical networks p283
Sood, V.K., and Gole, A.M. Minimisation of ununcharacteristic harmonics in HVDC convertors through firing angle modulation p567
Soudack, A.C., and Marti, J.R. see Marti, J.R.
Sterling, M.J.H., Smith, M.M., Powell, R.S., and Irving, M.R. see Smith, M.M.
Stoll, R.L., Tampion, A.A., and Sybulski, J.K. see Tampion, A.A.
Stoll, R.L., and Abbas, N.A.M. Measurement of eddy-current damping of small synchronous generator with two types of cylindrical solid rotor p199
Sybulski, J.K., Tampion, A.A., and Stoll, R.L. see Tampion, A.A.

T

Tampion, A.A., Stoll, R.L., and Sybulski, J.K. Variation of turbogenerator stator core vibration with load p389
Tang, C.K.K., and Turner, D.R. Modelling of large nonlinear loads and thyristor controlled shunt compensators p505
Tielking, J.T., Masrur, M.A., and Ayoub, A.K. see Masrur, M.A.
Tripathy, S.C., Balasubramanian, R., and Chandramohanan Nair, P.S. Small rating capacitive energy storage for dynamic performance improvement of automatic generation control p103
Turner, D.R., and Tang, C.K.K. see Tang, C.K.K.

V

van den Heuvel, W.M.C, and Kersten, W.F.J. see Kersten, W.F.J.
Vecchiotti, E., Bottauscio, O., Crotti, G., and Farina, G. see Bottauscio, O.
Viarouge, P., Kamwa, I., and Dickinson, E.J. see Kamwa, I.
Villablanca, M., and Arrillaga, J. see Arrillaga, J.

W

Wenyuan, L., and Billinton, R. see Billinton, R.
Wilcox, D.J. Theory of transformer modelling using modal analysis p121
Wong, K.P., and Doan, K. Artificial intelligence algorithm for daily scheduling of thermal generators p518
Wu, C.-J., and Lee, Y.-S. see Lee, Y.-S.
Wu, C.-J., and Lee, Y.-S. Damping of synchronous generator by static reactive power compensator with digital controller p427

X

Xu, G.Y., and Zhu, J.Z. see Zhu, J.Z.

Y

Yang, C.-C., and Hsu, Y.-Y. see Hsu, Y.-Y.
Yang, C.-C., and Hsu, Y.-Y. see Hsu, Y.-Y.

Z

Zhu, J.Z., and Xu, G.Y. Approach to automatic contingency selection by reactive type performance index p65

Subject index

CABLES AND OVERHEAD LINES

Method of equal probability overvoltages for calculating risk of failure of power transmission lines. M. Gavric' p19
New approach to directional fault location for overhead power distribution feeders. A.T. Johns, L.L. Lai, M. El-Hami and D.J. Daruvala p351

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Worst case studies of short-circuit making-currents. W.F.J. Kersten and W.M.C van den Heuvel p129

CIRCUIT THEORY AND DESIGN

Identification of generalised models of synchronous machines from time-domain tests. I. Kamwa, P. Viarouge and E.J. Dickinson p485

COMPUTER APPLICATIONS

Design of artificial neural networks for short-term load forecasting. Part I: Self-organising feature maps for day type identification. Y.-Y. Hsu and C.-C. Yang p407
Design of artificial neural networks for short-term load forecasting. Part II: Multilayer feedforward networks for peak load and valley load forecasting. Y.-Y. Hsu and C.-C. Yang p414
Integrating an expert system into a thermal unit-commitment algorithm. Md-Sayeed Salam, Abdul-Razak Hamdan and Khalid Mohamed Nor p553

CONTROL EQUIPMENT AND APPLICATIONS

Damping of synchronous generator by static reactive power compensator with digital controller. C.-J. Wu and Y.-S. Lee p427

CONTROL SYSTEMS

Optimum selection of speed regulation parameters for automatic generation control in discrete mode considering generation rate constraints. L. Hari, M.L. Kothari and J. Nanda p401
Role and objectives of control for wind turbines. W.E. Leithead, S. de la Salle and D. Reardon p135

DESIGN

Decentralised proportional-plus-integral design method for interconnected power systems. M. Aldeen and J.F. Marsh p263

DETECTION

New approach to directional fault location for overhead power distribution feeders. A.T. Johns, L.L. Lai, M. El-Hami and D.J. Daruvala p351

EDDY CURRENTS

Measurement of eddy-current damping of small synchronous generator with two types of cylindrical solid rotor. R.L. Stoll and N.A.M. Abbas p199

ENERGY CONVERSION AND STORAGE

24-pulse HVDC conversion. J. Arrillaga and M. Villablanca p57
Role and objectives of control for wind turbines. W.E. Leithead, S. de la Salle and D. Reardon p135
Small rating capacitive energy storage for dynamic performance improvement of automatic generation control. S.C. Tripathy, R. Balasubramanian and P.S. Chandramohanan Nair p103

FAULT LOCATION

Analysis of distribution transformers under fault conditions for determination of transient recovery voltage. O. Bottauscio, G. Crotti, G. Farina and E. Vecchiotti p253
Analytical expressions for evaluating screening effect of transmission line earth wire. Lj.M. Popović p289
New approach to directional fault location for overhead power distribution feeders. A.T. Johns, L.L. Lai, M. El-Hami and D.J. Daruvala p351
New decomposition-aggregation approach applied to power system with speed governor. H. Shaaban p434

FERRITES AND FERROMAGNETICS

Ferroresonance in power systems: Fundamental solutions. J.R. Marti and A.C. Soudack p321

GENERATORS

Application of superconducting magnetic energy storage unit on damping of turbogenerator subsynchronous oscillation. Y.-S. Lee and C.-J. Wu p419
Artificial intelligence algorithm for daily scheduling of thermal generators. K.P. Wong and K. Doan p518
Capacitance requirements for three phase self-excited reluctance generators. A.I. Alolah p193
Damping of synchronous generator by static reactive power compensator with digital controller. C.-J. Wu and Y.-S. Lee p427
Effects of underexcitation limiters on operation of remote generating station. S.S. Choi, R. Larkin, M.T. Bastick and A.W. Ferres p560
Identification of coherent generators for power system dynamic equivalents using unstable equilibrium point. M.H. Haque p546
Measurement of eddy-current damping of small synchronous generator with two types of cylindrical solid rotor. R.L. Stoll and N.A.M. Abbas p199
Modified loss coefficients in the determination of optimum generation scheduling. D. Hazarika and P.K. Bordoloi p166
Reliability assessment of hydrothermal generation systems containing pumped storage plant. R.N. Allan and J. Roman p471
Studies on asynchronous operation of synchronous machines and related shaft torsional stresses. M.A. Masrur, A.K. Ayoub and J.T. Tielking p47
Variation of turbogenerator stator core vibration with load. A.A. Tampion, R.L. Stoll and J.K. Sybulski p389

GRAPH THEORY AND TOPOLOGY

Direct solution of distribution systems. S.K. Goswami and S.K. Basu p78

HYDROELECTRIC POWER GENERATION

Frequency and duration method for reliability evaluation of large-scale hydrothermal generating systems. A.M. Leite da Silva, A.C.G. Melo and S.H.F. Cunha p94

HYSTERESIS

Analysis of transient behaviour of power system circuits containing iron cored coils. S. Ray p275

INSTRUMENTATION AND MEASURING SCIENCE

New method for monitoring and protection of high voltage switchyards. D.W.E. Blatt p228
Transposition study and field measurements of long radial static-reactive power compensated transmission system. S.S. Choi and C.E. Carter p337

LOAD AND VOLTAGE REGULATION

Performance comparisons of AC load-flow techniques for real time applications. A. Mohamed p457
Stability of loadflow techniques for distribution system voltage stability analysis. G.B. Jasmon and L.H.C.C. Lee p479

MAGNETIC FIELDS

New method for monitoring and protection of high voltage switchyards. D.W.E. Blatt p228

MATHEMATICAL TECHNIQUES

Application of pattern recognition techniques for online security-economy and reactive control of power systems. C.S. Chang p1
Approach to automatic contingency selection by reactive type performance index. J.Z. Zhu and G.Y. Xu p65
Artificial intelligence algorithm for daily scheduling of thermal generators. K.P. Wong and K. Doan p518
Decomposition approach for minimising real power losses in power systems. N.I. Deeb and S.M. Shahidehpour p27
Direct solution of distribution systems. S.K. Goswami and S.K. Basu p78
Effects of neglecting resistances in XB and BX load-flow methods. W. Hubbi p452
Efficient economic dispatch algorithm for thermal unit commitment. K. Mohamed-Nor and A.H.A. Rashid p213
Frequency and duration method for reliability evaluation of large-scale hydrothermal generating systems. A.M. Leite da Silva, A.C.G. Melo and S.H.F. Cunha p94
Integrating an expert system into a thermal unit-commitment algorithm. Md-Sayeed Salam, Abdul-Razak Hamdan and Khalid Mohamed Nor p553
New algorithm for diakoptical static state estimation. S. Shahnawaz Ahmed and A. Brameller p185
New decomposition-aggregation approach applied to power system with speed governor. H. Shaaban p434
New findings of convergence properties of fast decoupled load flow algorithms. J. Nanda, V. Bapi Raju, P.R. Bijwe, M.L. Kothari and Bashir M. Joma p218
Power generation scheduling through use of generalised network flow programming. R.E. Rice, W.M. Grady, W.G. Lesso, A.H. Noyola and M.E. Connolly p39
Recursive real-time calculation of basic waveforms of signals. K.-Fr. Eichhorn and T. Łobos p469
Robust algorithm for state estimation in electrical networks. M.M. Smith, R.S. Powell, M.R. Irving and M.J.H. Sterling p283

MODULATION

Minimisation of uncharacteristic harmonics in HVDC convertors through firing angle modulation. V.K. Sood and A.M. Gole p567

MOTORS

Role and objectives of control for wind turbines. W.E. Leithead, S. de la Salle and D. Reardon p135

NETWORKS

Robust algorithm for state estimation in electrical networks. M.M. Smith, R.S. Powell, M.R. Irving and M.J.H. Sterling p283

NOISE AND INTERFERENCE

New measures for assessing the inductive influence of multiconductor transmission lines. G.R. Cameron and P.S. Bodger p358

NONLINEAR SYSTEMS

Ferroresonance in power systems: Fundamental solutions. J.R. Marti and A.C. Soudack p321

OPTIMISATION

Modified loss coefficients in the determination of optimum generation scheduling. D. Hazarika and P.K. Bordoloi p166

PERTURBATION THEORY

Identification of coherent generators for power system dynamic equivalents using unstable equilibrium point. M.H. Haque p546
Stochastic model for power system planning studies. C.O. Nwankpa and S.M. Shahidehpour p307

PICTURE PROCESSING AND PATTERN RECOGNITION

Application of pattern recognition techniques for online security-economy and reactive control of power systems. C.S. Chang p1
Design of artificial neural networks for short-term load forecasting. Part I: Self-organising feature maps for day type identification. Y.-Y. Hsu and C.-C. Yang p407
Design of artificial neural networks for short-term load forecasting. Part II: Multilayer feedforward networks for peak load and valley load forecasting. Y.-Y. Hsu and C.-C. Yang p414

POWER ELECTRONICS

Fast-decoupled rectangular co-ordinate state estimation with efficient data structure management. I.O. Habiballah and V.H. Quintana p462
Partitioning of power networks and applications to security control. V.H. Quintana and N. Müller p535
Simple approach to calculation of power system transients using the *Z*-transform. Y.P.J.M. Ponsioen p297

POWER SYSTEM PROTECTION

New method for monitoring and protection of high voltage switchyards. D.W.E. Blatt p228
Stability of loadflow techniques for distribution system voltage stability analysis. G.B. Jasmon and L.H.C.C. Lee p479

POWER SYSTEMS AND PLANT

33rd Hunter Memorial Lecture: The challenge to UK power engineers. R. Hawley p173
Application of power system stabilisers in a plant with identical units. C.S. de Araújo and J.C. de Castro p11
Consideration of skin effect in high-voltage coaxial systems under transient and steady-state conditions, and its impact on steep travelling waves. I.R. Jandrell and J.P. Reynders p445
Decentralised proportional-plus-integral design method for interconnected power systems. M. Aldeen and J.F. Marsh p263
Decomposition approach for minimising real power losses in power systems. N.I. Deeb and S.M. Shahidehpour p27
Design of artificial neural networks for short-term load forecasting. Part I: Self-organising feature maps for day type identification. Y.-Y. Hsu and C.-C. Yang p407
Design of artificial neural networks for short-term load forecasting. Part II: Multilayer feedforward networks for peak load and valley load forecasting. Y.-Y. Hsu and C.-C. Yang p414
Effects of abnormal operating conditions on electrical utility planning. G.I. Dodds and W.C. Beattie p113
Efficient method for calculating power system production cost and reliability. E.G. Preston and W.M. Grady p221
Fast transient stability assessment using large step-size numerical integration. Y. Dong and H.R. Pota p377
Identification of coherent generators for power system dynamic equivalents using unstable equilibrium point. M.H. Haque p546
Integrating an expert system into a thermal unit-commitment algorithm. Md-Sayeed Salam, Abdul-Razak Hamdan and Khalid Mohamed Nor p553
Modelling of large nonlinear loads and thyristor controlled shunt compensators. C.K.K. Tang and D.R. Turner p505
Modified loss coefficients in the determination of optimum generation scheduling. D. Hazarika and P.K. Bordoloi p166
New algorithm for diakoptical static state estimation. S. Shahnawaz Ahmed and A. Brameller p185
New findings of convergence properties of fast decoupled load flow algorithms. J. Nanda, V. Bapi Raju, P.R. Bijwe, M.L. Kothari and Bashir M. Joma p218
Optimal switching of dynamic braking resistor, reactor or capacitor for transient stability of power systems. A.H.M.A. Rahim and A.I.J. Al-Sammak p89
Optimum selection of speed regulation parameters for automatic generation control in discrete mode considering generation rate constraints. L. Hari, M.L. Kothari and J. Nanda p401
Power generation scheduling through use of generalised network flow programming. R.E. Rice, W.M. Grady, W.G. Lesso, A.H. Noyola and M.E. Connolly p39
Power system economic loading with flexible emergency reserve provision. K.M. Radi and B. Fox p257
Power-component definitions and measurements for a harmonic-polluted power circuit. M.-T. Chen, H.-Y. Chu, C.-L. Huang and L.-W. Fei p299
Ranking of line outages in an AC–DC system causing overload and voltage problems. P.R. Bijwe, J. Nanda and K.L. Puttabuddhi p207
Recursive real-time calculation of basic waveforms of signals. K.-Fr. Eichhorn and T. Łobos p469
Reliability assessment of hydrothermal generation systems containing pumped storage plant. R.N. Allan and J. Roman p471
Small rating capacitive energy storage for dynamic performance improvement of automatic generation control. S.C. Tripathy, R. Balasubramanian and P.S. Chandramohanan Nair p103
Solving data acquisition and processing problems in power systems using a pattern analysis approach. A.P. Alves de Silva, V.H. Quintana and G.K.H. Pang p365
Stochastic model for power system planning studies. C.O. Nwankpa and S.M. Shahidehpour p307
Value of variable sources on power systems. M.J. Grubb p149

POWER TRANSMISSION AND DISTRIBUTION

Application of series-capacitor and shunt-reactor compensation to an existing practical AC transmission line. M. El-Marsafawy p330
Effects of underexcitation limiters on operation of remote generating station. S.S. Choi, R. Larkin, M.T. Bastick and A.W. Ferres p560
Heuristic multi-area unit commitment with economic dispatch. Z. Ouyang and S.M. Shahidehpour p242
Minimisation of uncharacteristic harmonics in HVDC convertors through firing angle modulation. V.K. Sood and A.M. Gole p567
New measures for assessing the inductive influence of multiconductor transmission lines. G.R. Cameron and P.S. Bodger p358
Optimal design of electricity distribution networks. A.C. Marshall, T.B. Boffey, J.R. Green and H. Hague p69
Transposition study and field measurements of long radial static-reactive power compensated transmission system. S.S. Choi and C.E. Carter p337

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

33rd Hunter Memorial Lecture: The challenge to UK power engineers. R. Hawley p173
Modelling of large nonlinear loads and thyristor controlled shunt compensators. C.K.K. Tang and D.R. Turner p505
Power system economic loading with flexible emergency reserve provision. K.M. Radi and B. Fox p257

RELIABILITY

Efficient method for calculating power system production cost and reliability. E.G. Preston and W.M. Grady p221
Frequency and duration method for reliability evaluation of large-scale hydrothermal generating systems. A.M. Leite da Silva, A.C.G. Melo and S.H.F. Cunha p94
Hybrid approach for reliability evaluation of composite generation and transmission systems using Monte–Carlo simulation and enumeration technique. R. Billinton and L. Wenyuan p233
Reliability assessment of hydrothermal generation systems containing pumped storage plant. R.N. Allan and J. Roman p471

SIMULATION

Analysis of transient behaviour of power system circuits containing iron cored coils. S. Ray p275
Dynamic simulation of gas-turbine generating unit. W.W. Hung p342
Hybrid approach for reliability evaluation of composite generation and transmission systems using Monte–Carlo simulation and enumeration technique. R. Billinton and L. Wenyuan p233
Identification of generalised models of synchronous machines from time-domain tests. I. Kamwa, P. Viarouge and E.J. Dickinson p485
New decomposition-aggregation approach applied to power system with speed governor. H. Shaaban p434
Partitioning of power networks and applications to security control. V.H. Quintana and N. Müller p535
Reliability assessment of hydrothermal generation systems containing pumped storage plant. R.N. Allan and J. Roman p471
Theory of transformer modelling using modal analysis. D.J. Wilcox p121

STABILITY

Application of power system stabilisers in a plant with identical units. C.S. de Araújo and J.C. de Castro p11
Optimal switching of dynamic braking resistor, reactor or capacitor for transient stability of power systems. A.H.M.A. Rahim and A.I.J. Al-Sammak p89
Probabilistic voltage stability indexes. T.A.M. Sharaf and G.J. Berg p499
Stability of loadflow techniques for distribution system voltage stability analysis. G.B. Jasmon and L.H.C.C. Lee p479

SUPERCONDUCTIVITY

Application of superconducting magnetic energy storage unit on damping of turbogenerator subsynchronous oscillation. Y.-S. Lee and C.-J. Wu p419

SYNCHRONOUS MOTORS

Identification of generalised models of synchronous machines from time-domain tests. I. Kamwa, P. Viarouge and E.J. Dickinson p485
Studies on asynchronous operation of synchronous machines and related shaft torsional stresses. M.A. Masrur, A.K. Ayoub and J.T. Tielking p47

SYSTEM PROTECTION

Analytical expressions for evaluating screening effect of transmission line earth wire. Lj.M. Popović p289
Efficient economic dispatch algorithm for thermal unit commitment. K. Mohamed-Nor and A.H.A. Rashid p213
Ranking of line outages in an AC–DC system causing overload and voltage problems. P.R. Bijwe, J. Nanda and K.L. Puttabuddhi p207

TRANSFORMERS

Analysis of distribution transformers under fault conditions for determination of transient recovery voltage. O. Bottauscio, G. Crotti, G. Farina and E. Vecchiotti p253
New Fourier methods for generation system production costing. R. Balasubramanian, P. Mohan and K.S.P. Rao p384
Theory of transformer modelling using modal analysis. D.J. Wilcox p121

TRANSIENTS

Analysis of distribution transformers under fault conditions for determination of transient recovery voltage. O. Bottauscio, G. Crotti, G. Farina and E. Vecchiotti p253
Analysis of transient behaviour of power system circuits containing iron cored coils. S. Ray p275
Consideration of skin effect in high-voltage coaxial systems under transient and steady-state conditions, and its impact on steep travelling waves. I.R. Jandrell and J.P. Reynders p445
New decomposition-aggregation approach applied to power system with speed governor. H. Shaaban p434
Simple approach to calculation of power system transients using the *Z*-transform. Y.P.J.M. Ponsioen p297
Stochastic model for power system planning studies. C.O. Nwankpa and S.M. Shahidehpour p307

TRANSMISSION LINES

Analytical expressions for evaluating screening effect of transmission line earth wire. Lj.M. Popović p289
Application of series-capacitor and shunt-reactor compensation to an existing practical AC transmission line. M. El-Marsafawy p330
Method of equal probability overvoltages for calculating risk of failure of power transmission lines. M. Gavric' p19
New measures for assessing the inductive influence of multiconductor transmission lines. G.R. Cameron and P.S. Bodger p358

VIBRATION

Variation of turbogenerator stator core vibration with load. A.A. Tampion, R.L. Stoll and J.K. Sybulski p389

Lectures

Hawley, R. 33rd Hunter Memorial Lecture: The challenge to UK power engineers p173